# International Food Research Journal 24(Suppl): S402-S409 (December 2017)

Journal homepage: http://www.ifrj.upm.edu.my



# Research progress in bioflocculants from bacteria

\*Abdullah, A.M., Hamidah, H. and Alam, M.Z.

Bioenvironmental Engineering Research Center (BERC) Kulliyyah of Engineering, International Islamic University Malaysia (IIUM), 53100 Kuala Lumpur, Malaysia

### **Article history**

### Received: 16 June 2017 Received in revised form: 29 September 2017 Accepted: 29 December 2017

#### **Keywords**

Coagulant
Flocculant
Food processing
Turbidity
Water treatment

#### **Abstract**

Although one of the major users of flocculants are water and wastewater treatment industries, flocculants are also used in various food industries. The chemical flocculants are preferred widely in these industries due to low production cost and fast production ability. However, the negative effects of the chemical flocculants should not be neglected to gain the economic benefits only. Therefore, the researchers are working to discover efficient and economical flocculants from biological sources. Several attempts have been made and are still being made to extract or produce bioflocculants from natural sources such as plants, bacteria, fungi, yeast, algae, etc. The review revealed that significant amount of work have been done in the past, in search of bioflocculant. However, commercially viable bioflocculants are yet to be marketed widely. With the advent of new biotechnologies and advances in genetic engineering, the researchers are hopeful to discover or develop commercially viable, safe and environment-friendly bioflocculants.

© All Rights Reserved

### Introduction

Food and water security are the main issues in any developing country. Agriculture and food sectors are the largest consumers of water in most of the countries in the world (Hoekstra *et al.*, 2012; Chowdhury and Al-Zahrani, 2015; Proskuryakova *et al.*, 2017; Vergine *et al.*, 2017). River water is the main global source of fresh water for domestic, irrigation and industrial usages. However, high turbidity caused by fine colloidal particles in water is a common issue that reduces the aesthetic value of water making it unappealing for human consumption and other usage (Robert *et al.*, 2016).

At the same time, the cost of water treatment increases with high turbidity and other pollutants in the river water. One of the main sources of high turbidity is storm runoff from developing areas. As such, the countries in the tropical region are more susceptible to high turbidity in the rivers due to high rainfall inducing soil erosion (Ali *et al.*, 2007).

Bioflocculant can be produced from plant parts (Rani and Jadhav, 2012; Alfred and Sangodoyin, 2013). It also can be derived from microbes, either from single culture (Lian *et al.*, 2008; Gong *et al.*, 2008; Nontembiso *et al.*, 2011; Okaiyeto *et al.*, 2015) or mixed culture of two microorganisms (Molla *et al.*, 2001; Wang *et al.*, 2011; Luvuyo *et al.*, 2013). In

fact, compound produced by mixed culture possesses higher flocculating activity than the compound from single culture (Zhu *et al.*, 2008).

Natural bioflocculant is more important for food industries as the product is related to the health and safety of the people. Among the physicochemical methods most widely to treat wastewater produced from food industry is coagulation (Shahidi et al., 1999; Lui et al., 2013). Particles, suspended solids and also organic matters have been effectively removed using coagulation and flocculation process (Agunbiade, 2016). For example, chitosan, a partially deacetylated polymer obtained from the alkaline deacetylation of chitin is applied to treat the wastewater from milk processing plant. Unlike river water, wastewater of the food industry generally contains leavenings, carbohydrates inorganic and organic salts, oil, sugar, starch, detergents, cleaning products and high concentration of proteins. This paper, however, reports the progress on the discovery and production of flocculants from various biological sources.

### **Coagulation and Flocculation Process**

According to the International Union of Pure and Applied Chemistry (IUPAC) definition, coagulation or flocculation is a process of contact and adhesion whereby the dispersed particles form clusters. Flocculant causes aggregation between particles and cells by bridging and charge neutralization whereby force of attraction is formed between the flocculant and the oppositely charged particles (Lian *et al.*, 2008). In terms of the mechanism, coagulation is the initial process in particle sedimentation which involves high speed mixing such as 200 rpm. At this stage, flocculant or coagulant is added to coagulate particles. According to Tzoupanos and Zouboulis (2008), the mixing is done in short time (less than 1 minute) to allow the flocculant interacts with the particles.

In wastewater treatment, small tank is used for this process. Meanwhile, flocculation is the later stage after the particles coagulate is formed. Low speed mixing is used to allow the flocs settle down at the centre and bottom of the tank (Figure 1). Besides, low speed is preferable to avoid the flocs scramble. Flocculant might be added at this stage to increase the floc size, floc strength and settling rate although it is not as important as in the coagulation stage. Since settling rate also depends on the gravitational force, flocculation requires longer time than coagulation between 20 to 45 minutes to maximize the amount of flocs collected.

Large tank is used for flocculation and mulitstages are being practiced in water treatment plant. The crucial part in turbid water treatment is in coagulation part since force of attraction is initiated at this stage (Okuda *et al.*, 2001). It is vital to understand the mechanism of coagulation and flocculation to establish the real effect of bioflocculant during treatment.

#### **Flocculants**

The most widely used method of reducing turbidity is by adding chemical flocculants in the treatment process, which is not so environmentally friendly. Chemical flocculants such as Polyaluminium chloride, ferric chloride and polyacrylamide have high flocculating activity and low cost (Zheng et al. 2008). However, the main concern of chemical flocculant is the long-term side effect towards human health and ecosystem. Alzheimer (Banks et al., 2006), neurotoxicity (Polizzi et al., 2001) and cancer (Ruden et al., 2004) are among the diseases associated with their application in drinking water treatment. Besides, chemical flocculants are also unsuitable in food industry. Therefore, various researches are conducted to find natural bioflocculant for food industries (Shahidi et al., 1999; Roseiro et al., 2003; Gupta and Aku, 2005; Mudgil et al., 2014).




Figure 1. Charge Neutralization in Coagulation-Flocculation Process

Monomer of acrylamide is a strong carcinogen and remains in water after the treatment because it is highly water soluble and not readily adsorbed by sediments (Brown *et al.*, 1988). Hence, safe alternative is required for the same purpose in water treatment.

#### Flocculants from Bacteria

Bioflocculant was also produced by *Paenibacillus elgii* B69 which was an exopolysaccharide composed of glucose, glucuronic acid, mannose and xylose (Li *et al*, 2003). The maximum bioflocculant production was about 25.63 g/L achieved with sucrose at 51.35 g/L, peptone at 6.78 g/L and yeast extract at 0.47 g/L. Bioflocculants are generally produced by microorganism including bacteria along the growth phase (Xia *et al.*, 2008) whereby its characteristics influence the flocculating activity (Salehizadeh and Shojaosadati, 2001; Buthelezi *et al.*, 2010).

The synthesis of extracellular polymer by living cells of microorganisms produces bioflocculant Produced bioflocculant are mainly composed of macromoecular substances such as glycoprotein, polysaccharide, protein, cellulose and nucleic acid (Al-Shahwani and Al-Rawi, 1989). A few latest research carried out on microbial flocculant and its application are given in Table 1. It can be observed that most of the works are done using fungi and bacteria, mainly due to easy isolation and culture process of the microbes.

### **Bacterial Cultivation**

Single or mixed culture

Bioflocculant can be produced by cultivating single strain of bacteria. Lian *et al.* (2008) successfully isolated *Bacillus mucilaginosus* from the maizefarming fields in China. The activated strain then cultured for 6 days to obtain the supernatant. Abd-El-Hameem *et al.* (2008) has isolated three strains from *Bacillus* species whereby each can produce

Source	Flocculating Activity (%)	Major Findings	Application	Reference
Fungi:		Composition:	Kaolin. 2 g/L	Aljuboori et
Aspergillus niger	86.2	Sugar (69.7%) and protein (28.5%)	concentration	al. (2014)
Fungi: Aspergillus parasiticus	92.4	Composition: Sugar (76.3%) and protein (21.6%)	Reactive Blue 4 dye removal	Deng <i>et al.</i> (2005)
Bacteria: Cellulomonas sp., Streptomyces sp.	91	Source: Sucrose, peptone, MgCl2 Flocculant yield: 4.45 g/L	Kaolin. 4 g/L concentration	Nwodo <i>et al.</i> (2014)
Bacteria: Methylobacterium sp. Obi, Actinobacterium sp. Mayor	95	Flocculant yield: 8.20 g/L Dose: 1 g/L in 100 ml Kaolin	Kaolin. 4 g/L concentration	Luvuyo et al. (2013)
Bacteria: Cobetia sp., Bacillus sp.	90	Dose: 0.8 g/L pH: 8 Flocculant aid: Ca2+	Wastewater (brewery, dairy) and river water	Ugbenyen and Okoh (2015)
Bacteria: <i>Virgibacillus</i> sp.	70.4	Composition: Polysaccharide	Kaolin. 4 g/L concentration	Cosa et al. (2011)
Bacteria: Bacillus sp. Gilbert	91	Composition: Polysaccharide	Kaolin. 4 g/L concentration	Nontembiso et al. (2011)
Bacteria: <i>Klebsiella</i> sp. TG-1	84	Composition: Polysaccharide	Waste residue from the food industry	Liu <i>et al.</i> (2013)

Table 1. Research on Bioflocculants from Various Sources

bioflocculant to reduce Kaolin solution turbidity. Mix culture also being used to produce the single type of bioflocculant. In fact, mix culture may give bioflocculant with higher flocculating activity than those produced through single strain cultivation.

### Nutrient

Different type of medium may lead support growth of different bacteria. Abd-El-Hameem *et al.* (2008) has successfully used yeast extract-peptoneglycerol (YPG) medium to isolate the *Bacillus* sp. whereby the main chemicals are yeast extract, peptone, and glucose dissolve in deionized water pH of 6.5 as according to Li *et al.* (2003).

Another isolation medium has been used was supplemented nutrient broth (SNB). Zaki (2011) has isolated *Bacillus subtilis* and *Pseudomonas* sp. from petroleum oil samples. The bioflocculant produced by those bacteria exhibited flocculating activity more than 90% when applied on kaolin suspension. Other medium used in previous studies were Luria Bertani (LB) and nutrient agar or broth. As such, various nutrients and supplements are being tested to get high yield of good quality bioflocculants.

According to Xia *et al.* (2008), peptone was the most cost-effective nitrogen source to support flocculant production. On the other hand, Li *et al.* (2009) mentioned that it was more economical to use 10 g/L of starch and 0.5 g/L ammonium chloride in production medium than 20 g/L of glucose, 0.5 g/L urea, 0.5 g/L yeast extract and 0.2 g/L ammonium sulphate in the screening medium.

Critical nutrition required are sucrose, peptone and magnesium chloride as mentioned by Nwodo

et al. (2014). Li et al. (2009) found that the most preferred sources of carbon and nitrogen by *Bacillus licheniformis* were starch and ammonium chloride whereby the C/N ratio (w/w) was 30. Other nitrogen sources that can be used are beef extract, yeast extract and urea. Glucose, sucrose, lactose and ethanol are among the carbon sources that can be utilized to produce the bacterial flocculant (Xia et al., 2008).

### *Temperature*

Temperature in the growth process can be divided into three stages which are bacterial isolation, broth cultivation and preservation of the product. Gao *et al.* (2009) used 30°C to culture the bacteria in rotary shaker, 20°C for Jar test and 4°C to preserve the product in short term prior testing. Pure culture is preserved in glycerol stock at -80°C for long term preservation. He successfully isolated *Rhotia* sp. that gave 86% flocculating efficiency in Kaolin clay suspension. Most of the studies are conducted within temperature range of 20-35°C.

# Other factors

Flocculating activity and bioflocculant yield can be affected by few factors such as metal cation presence, temperature, pH and inoculum size. (Luvuyo *et al.*, 2013) Some of the previous studies mentioned Ca<sup>2+</sup> presence as flocculant aid (Kurane *et al.*, 1986; Ugbenyen and Okoh, 2013; Okaiyeto *et al.*, 2015). Since coagulation process require bridge formation between the particles and the flocculant, initial adsorption is assisted by the cation presence. However, studies by Zhao *et al.* (2013) and Aljuboori *et al.* 2014 showed that some bioflocculants are cation-

independent which gave significant flocculating activity without metal cation presence in the kaolin suspension. Some of the bacteria species that have been successfully tested to produce flocculant are *Klebsiella* sp. (Liu *et al.*, 2013), *Bacillus cereus* (Yang *et al.*, 2007), *Rhizobium radiobacter* and *Bacillus sphaeicus* (Wang *et al.*, 2011).

For lab scale fermentation, Erlenmayer flask was used to hold the broth culture on incubator shaker. Nwodo *et al.* (2013) incubate 200 ml Murashige and Skoog (MSM) fermentation medium in 500 ml flask while Xiong *et al.* (2010) produce the flocculant by inoculating the strain in 250 ml flask containing 100 ml medium. Larger flask can hold more volume of broth hence allow more biomass production. However, too high volume will cause incomplete agitation of the broth itself. Jang *et al.* (2001) has successfully cultured flocculant from *Citrobacter* sp. using fed-batch bioreactor.

In a study by Lian et al. (2008), 2 ml inoculum was cultured in 250-ml conical flask containing 100 ml culture medium for 6 days at 28°C. The lower portion of the culture was concentrated as the floccules and used as the flocculation material. The supernatant was decanted, estimated to be 85% of the total volume. In contrast, Okaiyeto et al. (2016) applied the cell-free supernatant as flocculating material and discard the biomass collected. By comparing these two studies, determining flocculating activity using floccules (74.6%) gave a higher turbidity removal percentage than using the supernatant (60%). However, to produce flocculant in form of floccules or biomass needs more source and time. The biomass can be extracted by concentrating the supernatant at 40°C. After cold ethanol is added, the precipitate is recovered, vacuum-dried and re-dissolved in distilled water (Deng et al., 2005).

# **Properties of Bioflocculant**

Besides the coagulation activity of the bioflocculant, the following parameters are also important for the flocculant to be easily stored, preserved, carried and applied to the industry.

## **Thermostability**

High temperature may denature protein or peptide chains in the microbial flocculant resulting in reduced the flocculating activity. Luvuyo *et al.* (2013) cultivate the bacterial strains at 28°C to obtain the flocculant purify. The flocculant gave the highest flocculating activity at 86% when the optimum was 80°C. In fact, it showed thermostability over 70% at 80°C and 100°C. Meanwhile, Ugbenyen and

Al-Okoh (2013) also successfully isolated another bacteria species with slightly higher flocculating activity which was 89.3% at 80°C proving that the bioflocculant is thermally stable between 50°C and 100°C.

Optimizing the temperature is important since bioflocculant application in the real industry will involve temperature changes due to seasonal climate and operating lines. Moreover, the collected supernatant which is used as the flocculating material is preserved at 4°C prior testing. The review on the temperature sensitivity of bioflocculant revealed that it is one of the parameters important for the long-term storage and preservation of the bioflocculant.

#### Characterization

FTIR spectrometry of the bioflocculant produced by a consortium of Streptomyces sp. and Cellulomonas sp. in Nwodo et al. (2013) showed the presence of carboxyl, hydroxyl and amino groups, indicating heteropolysaacharide compounds. The flocculant has woven clump-like structure as shown by SEM image and has heterogeneity characteristic. Luvuyo et al. (2013) also observed the presence of carboxyl and hydroxyl groups in the flocculant particle produced by a mixed culture of Methylobacterium sp. Obi and Actinobacterium sp. Mayor. Gong et al. (2008) showed that the major component of the flocculant produced by Klebsiella mobilis was neutral sugar without any protein. Meanwhile, Energy Dispersive X-ray spectroscopy (EDX) analysis performed towards flocculant produced by Bacillus sp. Maya indicated the presence of polysaccharide and protein in the compound (Ugbenyen and Okoh, 2013). Generally, the bioflocculants are some sort of polymers and proteins in nature.

# **Application**

Microbial flocculant are, generally, potential for wastewater treatment (Mabinya *et al.*, 2011), drinking water purification (Nakata and Kurane, 1999), downstream process in food production and fermentation process (Salehizadeh and Shojaosadati, 2001). In wastewater treatment, dyes solution (Zhang *et al.*, 2002; Deng *et al.*, 2005), inorganic solid suspensions (Levy *et al.*, 1992; Shih *et al.*, 2001; Yim *et al.*, 2007), and humic acids (Zouboulis *et al.*, 2004) have been successfully treated with bioflocculants. Meanwhile, Gong *et al.* (2008) successfully applied the isolated bioflocculant to brewery, meat and soybased processing wastewater from the industries.

### Initial turbidity

Initial turbidity is an important factor to decide the dose of biocoagulant. During rapid test sedimentation, initial turbidity of the Kaolin is set between 500 and 550 NTU based on 4 g/L concentration. The clay powder is suspended in deionized water to obtain the desired turbidity as according to Kurane *et al.* (1986) and modified by Gao *et al.* (2006). It was observed that most of the turbidity reduction work was done for high range of turbid water, whereas, the river water turbidity is usually lower than 200 NTU most of the time, except the rainy days.

### Dosage

In Cosa *et al.* (2011), 2 ml of cell-free supernatant and 3 ml of 1% CaCl<sub>2</sub> is added into 100 ml Kaolin suspension (4 g/L). The optimum dosage is varied depending on the type of raw water and the bacterial flocculant. However, it was observed that high dose of raw bioflocculant is required compared to the chemical flocculants.

### рΗ

There are bioflocculant, which is able to show high flocculating activity in wide range of pH condition. *Bacillus toyonensis* is tolerant to pH 3-11 (Okaiyeto *et al.*, 2015) giving more than 85% flocculating activity whereby the highest recorded at pH 3 (94%). The growth medium also supports the flocculant production at its best in acidic condition in which pH 5 give flocculating activity of 65% (Okaiyeto *et al.*, 2015). The similar conditions were reported for flocculant production from Chryseobacteria daeguense W6 (Liu *et al.*, 2010) and Bacillus spp. (Zufarzaana *et al.*, 2012). As such, the ability of bioflocculants in wide range of pH is an advantage over the chemical coagulants, which are usually efficient within narrow range of pH variation.

# **Real-field Application**

The challenge in bioflocculant production is its real-field application. The bioflocculant production totally depends on the natural mechanism of the microorganism to produce the flocculant in conducive environment. The slow process actually requires high cost due to skilled worker, special equipment and the substrate. At the end, the flocculating activity exhibited by the bioflocculant is yet relatively low compared to synthetic flocculant thus require high dosage to ensure the reliable efficacy (Li *et al.*, 2003).

Lian *et al.* (2008) applied bioflocculant produced by *Bacillus mucilaginosus* into three types of wastewater namely domestic, brewage

and pharmaceutical wastewater in lab scale setting. The removal rate of suspended solids was 93.9%, 93.6% and 88.4%, respectively. Ugbenyen (2015) applied glycoprotein bioflocculant produced by a mixed culture of *Cobetia* sp. and *Bacillus* sp. into river water, brewery wastewater and dairy waste water with resultant flocculating activities of 96.4%, 93.7%, and 82.2%, respectively.

### **Costing**

Low cost medium in bioflocculant production will directly reduce the production cost hence make it competitive in real field application. Pretreated molasses has been used as fermentation substrate in a study by Sam *et al.* (2011). Activated charcoal detoxified rice hull hydrolysate was used to produce bioflocculant known as Schizophyllan glucan from Schizophyllum commune (Shu and Hsu, 2011). Solid residue of tofu production also has been used as the main medium component to produce bioflocculant from Klebsiella sp. TG-1 (Liu *et al.*, 2013). However, no exact amount of cost was mentioned to compare between synthetic and bioflocculant costs.

## **Concluding Remarks**

Despite various studies conducted on the development and discovery of bioflocculant from natural materials, large-scale, economical and marketable production of bioflocculant is not reported yet. The main challenge is to produce high quality of large amount bioflocculant in short period of time. Until then, the industry has to rely on the chemical coagulants due to their efficiency and low cost, despite the known and unknown risks posed by the chemical coagulants.

## Acknowledgement

The authors are grateful for the financial support provided by the Ministry of Education (MOE), Malaysia through the Project ID: FRGS 14-109-0350.

### References

Abd-El-Haleem, D.A., Al-Thani, R.F., Al-Mokemy, T., Al-Marii, S. and Hassan, F. 2008. Isolation and characterization of extracellular bioflocculants produced by bacteria isolated from Qatari ecosystems. Polish Journal of Microbiology 57(3): 231-239.

Agunbiade, M.O., Pohl, C.H. and Ashafa, A.O.T. 2016. A Review of the application of bioflocculants in wastewater treatment. Polish Journal of Environmental

- Studies 25(4): 1381-1389.
- Alfred, J.N. and Sangodoyin, A.Y. 2013. Efficacy of *Hibiscus cannabinus* L. (kenaf) crude seed powder and its methanol extract in water purification. Civil and Environmental Research 3(7): 121-125.
- Ali, A.D., Ezra, A.G. and Abdul, S.D. 2007. Changes in the physico-chemical attributes of an urban stream in Jos, Nigeria. Journal of Aquatic Sciences 22(1): 45-46.
- Aljuboori, A.H.R., Uemura, Y., Osman, N.B. and Yusup, S. 2014. Production of a bioflocculant from *Aspergillus niger* using palm oil mill effluent as carbon source. Bioresource Technology 171: 66-70.
- Al-Mamun, A., Jebun, N., Alam, Z.M. and Raus, R.A. 2016. Fungal flocculants to reduce river water turbidity. ARPN Journal of Engineering and Applied Sciences 11(6): 4094-4099.
- Al-Shahwani, M.F. and Al-Rawi, E.H. 1989. Bacterial extracellular material from brewery wastewater for raw water treatment. Biological Wastes 28(4): 271-276
- Banks, W.A., Niehoff, M.L., Drago, D. and Zatta, P. 2006. Aluminum complexing enhances amyloid β protein penetration of blood–brain barrier. Brain Research 1116: 215–221.
- Brown, M.R., Allison, D.G. and Gilbert, P. 1988. Resistance of bacterial biofilms to antibiotics a growth-rate related effect. Journal of Antimicrobial Chemotherapy 22(6): 777-780.
- Buthelezi, S.P., Olaniran, A.O. and Pillay, B. 2010. Production and characterization of bioflocculants from bacteria isolated from wastewater treatment plant in South Africa. Biotechnology and Bioprocess Engineering 15: 874-881.
- Chowdhury, S. and Al-Zahrani, M. 2015. Characterizing water resources and trends of sector wise water consumptions in Saudi Arabia. Journal of King Saud University Engineering Sciences 27(1): 68-82.
- Cosa, S., Mabinya, L.V., Olaniran, A.O., Okoh, O.O., Bernard, K., Deyzel, S. and Okoh, A.I. 2011. Bioflocculant production by *Virgibacillus* sp. rob isolated from the bottom sediment of algoa bay in the Eastern Cape, South Africa. Molecules 16(3): 2431–2442.
- Deng, S., Yu, G. and Ting, Y.P. 2005. Production of a bioflocculant by *Aspergillus parasiticus* and its application in dye removal. Colloids and surfaces B: Biointerfaces 44(4): 179-186.
- Gao, J., Bao, H., Xin, M., Liu, Y., Li, Q. and Zhang, Y. 2006. Characterization of a bioflocculant from a newly isolated *Vagococcus* sp. W31. Journal of Zhejiang University. Science B 7(3): 186–192.
- Gao, Q., Zhu, X.H., Mu, J., Zhang, Y. and Dong, X.W. 2009. Using Ruditapes philippinarum conglutination mud to produce bioflocculant and its applications in wastewater treatment. Bioresource Technology 100(21): 4996-5001.
- Gong, W.X., Wang, S.G., Sun, X.F., Liu, X.W., Yue, Q.Y. and Gao, B.Y. 2008. Bioflocculant production by culture of *Serratia ficaria* and its application

- in wastewater treatment. Bioresource Technology 99(11): 4668-4674.
- Gupta, B.S. and Ako, J.E. 2005. Application of guar gum as a flocculant aid in food processing and potable water treatment. European Food Research and Technology 221(6): 746–751.
- Hoekstra, A.Y., Mekonnen, M.M., Chapagain, A.K., Mathews, R.E., Richter, B.D. 2012. Global Monthly Water Scarcity: Blue Water Footprints versus Blue Water Availability. PLoS ONE 7(2).
- Jang, J.H., Ike, M., Kim, S.M. and Fujita, M. 2001. Production of a novel bioflocculant by fed-batch culture of Citrobacter sp. Biotechnology Letters 23(8): 593-597.
- Kurane, R., Takeda, K. and Suzuki, T. 1986. Screening for and characteristics of microbial flocculants. Agricultural and Biological Chemistry 50(9): 2301-2307.
- Levy, N., Magdassi, S. and Bar-Or, Y. 1992. Physicochemical aspects in flocculation of bentonite suspensions by a cyanobacterial bioflocculant. Water Research 26(2): 249-254.
- Li, Y., He, N., Guan, H., Du, G. and Chen, J. 2003. A novel polygalacturonic acid bioflocculant REA-11 produced by *Corynebacterium glutamicum*: a proposed biosynthetic pathway and experimental confirmation. Applied Microbiology and Biotechnology 63(2): 200-206.
- Li, Z., Zhong, S., Lei, H., Chen, R., Yu, Q. and Li, H.L. 2009. Production of a novel bioflocculant by *Bacillus licheniformis* X14 and its application to low temperature drinking water treatment. Bioresource Technology 100(14): 3650–3656.
- Lian, B., Chen, Y., Zhao, J., Teng, H.H., Zhu, L. and Yuan, S. 2008. Microbial flocculation by *Bacillus mucilaginosus*: Applications and mechanisms. Bioresource Technology 99(11): 4825-4831.
- Liu, W., Wang, K., Li, B., Yuan, H. and Yang, J. 2010. Production and characterization of an intracellular bioflocculant by *Chryseobacterium daeguense* W6 cultured in low nutrition medium. Bioresource Technology 101(3): 1044-1048.
- Liu, Z.Y., Hu, Z.Q., Wang, T., Chen, Y.Y., Zhang, J., Yu, J.R. and Li, Y.L. 2013. Production of novel microbial flocculants by *Klebsiella* sp. TG-1 using waste residue from the food industry and its use in defecating the trona suspension. Bioresource Technology 139: 265–271.
- Luvuyo, N., Nwodo, U.U., Mabinya, L. V. and Okoh, A.I. 2013. Studies on bioflocculant production by a mixed culture of *Methylobacterium* sp. Obi and *Actinobacterium* sp. Mayor. BMC Biotechnology 13(1): 62.
- Mabinya, L.V., Cosa, S., Mkwetshana, N. and Okoh, A.I. 2011. Halomonas sp. OKOH-A marine bacterium isolated from the bottom sediment of Algoa Bay Produces a polysaccharide bioflocculant: Partial characterization and biochemical analysis of its properties. Molecules 16(6): 4358-4370.
- Molla, A.H., Fakhru'l-Razi, A., Abd-Aziz, S., Hanafi,

- M.M. and Alam, M.Z. 2001. In-vitro compatibility evaluation of fungal mixed culture for bioconversion of domestic wastewater sludge. World Journal of Microbiology and Biotechnology 17(9): 849-856.
- Mudgil, D., Barak, S. and Khatkar, B.S. 2014. Guar gum: processing, properties and food applications—a review. Journal of Food Science and Technology 51(3): 409-418.
- Nakata, K. and Kurane, R. 1999. Production of an extracellular polysaccharide bioflocculant by Klebsiella pneumoniae. Bioscience, Biotechnology, and Biochemistry 63(12): 2064-2068.
- Nontembiso, P., Sekelwa, C., Leonard, M.V. and Anthony, O.I. 2011. Assessment of bioflocculant production by *Bacillus* sp. Gilbert, a marine bacterium isolated from the bottom sediment of Algoa Bay. Marine Drugs 9(7): 1232-1242.
- Nwodo, U.U., Green, E., Mabinya, L.V., Okaiyeto, K., Rumbold, K., Obi, L. C. and Okoh, A.I. 2014. Bioflocculant production by a consortium of *Streptomyces* and *Cellulomonas* species and media optimization via surface response model. Colloids and Surfaces B: Biointerfaces 116: 257-264.
- Okaiyeto, K., Nwodo, U.U., Mabinya, L.V. and Okoh, A.I. 2015. *Bacillus toyonensis* strain AEMREG6, a bacterium isolated from South African marine environment sediment samples produces a glycoprotein bioflocculant. Molecules 20(3): 5239-5259.
- Okaiyeto, K., Nwodo, U.U., Mabinya, L.V., Okoli, A.S. and Okoh, A.I. 2015. Characterization of a Bioflocculant (MBF-UFH) Produced by *Bacillus* sp. AEMREG7. International Journal of Molecular Sciences 16(6): 12986-13003.
- Okaiyeto, K., Nwodo, U.U., Okoli, S.A., Mabinya, L.V. and Okoh, A.I. 2016. Implications for public health demands alternatives to inorganic and synthetic flocculants: Bioflocculants as important candidates. Microbiology Open 5(2): 177-211.
- Okuda, T., Baes, A.U., Nishijima, W. and Okada, M. 2001. Isolation and characterization of flocculant extracted from *Moringa oleifera* seed by salt solution. Water Research 35(2): 405-410.
- Polizzi, S., Pira, E., Ferrara, M., Buginani, M., Papaleo, A., Albera, R., Palmi, S. 2002. Neurotoxic effects of aluminium among foundry workers and Alzheimer's disease. Neurotoxicology 23: 761–774.
- Proskuryakova, L.N., Saritas, O. and Sivaev, S. 2017. Global water trends and future scenarios for sustainable development: the case of Russia. Journal of Cleaner Production (In Press).
- Rani, C.N. and Jadhav, M.V. 2012. Enhancing filtrate quality of turbid water incorporating seeds of *Strychnos potatorum*, pads of *Cactus opuntia* and mucilage extracted from the fruits of Coccinia indica as flocculants. Journal of Environmental Research and Development 7(2): 668-674.
- Roseiro, L.B., Barbosa, M., Ames, J.M. and Wilbey, R.A. 2003. Cheese making with vegetable floculants the use of *Cynara* L. for the production of ovine milk

- cheeses. International Journal of Dairy Technology 56(2): 76-85.
- Robert, E., Grippa, M., Kergoat, L., Pinet, S., Gal, L., Cochonneau, G. and Martinez, J.M. 2016. Monitoring water turbidity and surface suspended sediment concentration of the Bagre Reservoir (*Burkina Faso*) using MODIS and field reflectance data. International Journal of Applied Earth Observation and Geoinformation 52: 243-251.
- Ruden, C. 2004. Acrylamide and cancer risk expert risk assessments and the public debate. Food Chemical Toxicology 42: 335–349.
- Salehizadeh, H. and Shojaosadati, S.A. 2001. Extracellular biopolymeric flocculants: recent trends and biotechnological importance. Biotechnology Advances 19(5): 371-385.
- Sam, S., Kucukasik, F., Yenigun, O., Nicolaus, B., Oner, E.T. and Yukselen, M.A. 2011. Flocculating performances of exopolysaccharides produced by a halophilic bacterial strain cultivated on agro-industrial waste. Bioresource Technology 102(2): 1788-1794.
- Shahidi, F., Arachchi, J.K.V. and Jeon, Y.J. 1999. Food applications of chitin and chitosans. Trends in Food Science and Technology 10: 37-51.
- Shih, I.L., Van, Y.T., Yeh, L.C., Lin, H.G. and Chang, Y.N. 2001. Production of a biopolymer flocculant from Bacillus licheniformis and its flocculation properties. Bioresource Technology 78(3): 267-272.
- Shu, C.H. and Hsu, H.J. 2011. Production of schizophyllan glucan by Schizophyllum commune ATCC 38548 from detoxificated hydrolysate of rice hull. Journal of the Taiwan Institute of Chemical Engineers 42(3): 387-393.
- Tzoupanos, N.D. and Zouboulis, A.I. 2008. Coagulation-flocculation processes in water/wastewater treatment: the application of new generation of chemical reagents. 6th IASME/WSEAS International Conference on Heat Transfer, Thermal Engineering and Environment, August 20 22, p. 309-317. Rhodes, Greece.
- Ugbenyen, A.M. and Okoh, A.I. 2013. Flocculating properties of a bioflocculant produced by *Bacillus* sp. isolated from a marine environment in South Africa. Chemical and Biochemical Engineering Quarterly 27(4): 511-518.
- Ugbenyen, A.M., Vine, N., Simonis, J.J., Basson, A.K. and Okoh, A.I. 2015. Characterization of a bioflocculant produced from the consortium of three marine bacteria of the genera *Cobetia* and *Bacillus* and its application for wastewater treatment. Journal of Water Sanitation and Hygiene for Development 5(1): 81-88
- Vergine, P., Salerno, C., Libutti, A., Benedeuce, L., Gatta, G., Berardi, G. and Pollice, A. 2017. Closing the water cycle in the agro-industrial sector by reusing treated wastewater for irrigation. Journal of Cleaner Production 164(15): 587-596.
- Wang, L., Ma, F., Qu, Y., Sun, D., Li, A., Guo, J. and Yu, B. 2011. Characterization of a compound bioflocculant produced by mixed culture of *Rhizobium radiobacter* F2 and *Bacillus sphaeicus* F6. World Journal of Microbiology and Biotechnology 27(11): 2559-2565.

- Xia, S., Zhang, Z., Wang, X., Yang, A., Chen, L., Zhao, J. and Jaffrezic-Renault, N. 2008. Production and characterization of a bioflocculant by *Proteus mirabilis* TJ-1. Bioresource Technology 99(14): 6520-6527.
- Xiong, Y., Wang, Y., Yu, Y., Li, Q., Wang, H., Chen, R. and He, N. 2010. Production and characterization of a novel bioflocculant from *Bacillus licheniformis*. Applied and Environmental Microbiology 76(9): 2778-2782.
- Yang, Y.N., Ren, N., Xue, J.M., Yang, J. and Rong, B.L. 2007. Mutation effect of MeV protons on bioflocculant bacteria *Bacillus cereus*. Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms 262(2): 220-224
- Yim, J.H., Kim, S.J., Ahn, S.H. and Lee, H.K. 2007. Characterization of a novel bioflocculant, p-KG03, from a marine dinoflagellate, *Gyrodinium impudicum* KG03. Bioresource Technology 98(2): 361-367.
- Zaki, S., Farag, S., Elreesh, G.A., Elkady, M., Nosier, M. and El Abd, D. 2011. Characterization of bioflocculants produced by bacteria isolated from crude petroleum oil. International Journal of Environmental Science and Technology 8(4): 831-840.
- Zhang, J., Liu, Z., Wang, S. and Jiang, P. 2002. Characterization of a bioflocculant produced by the marine myxobacterium *Nannocystis* sp. NU-2. Applied Microbiology and Biotechnology 59(4-5): 517-522.
- Zhao, H., Liu, H. and Zhou, J. 2013. Characterization of a bioflocculant MBF-5 by *Klebsiella pneumoniae* and its application in *Acanthamoeba* cysts removal. Bioresource Technology 137: 226-232.
- Zheng, Y., Ye, Z.L., Fang, X.L., Li, Y.H. and Cai, W.M. 2008. Production and characteristics of a bioflocculant produced by Bacillus sp. F19. Bioresource Technology 99(16):7686-7691.
- Zhu Y.B., Fang, M.A. and Li, D.P. 2008. Study on fermentation properties of complex microbial flocculant producing microorganisms. China Water Wastewater 24:70–73.
- Zouboulis, A.I., Loukidou, M.X. and Matis, K.A. 2004. Biosorption of toxic metals from aqueous solutions by bacteria strains isolated from metal-polluted soils. Process Biochemistry 39(8): 909-916.
- Zufarzaana, Z., Ahmad, Z.A., Zulkifli, H.S. and Mohd, K.Y. 2012. Cation dependence, pH tolerance, and dosage requirement of a bioflocculant produced by *Bacillus* sp. UPMB13: Flocculation performance optimization through Kaolin assays. Science World Journal: 1-7.